

PLANT PATENT
[File No. 13519.0005.NPUS01]

APPLICATION FOR UNITED STATES PLANT PATENT

for

CHRYSANTHEMUM PLANT NAMED 'ESPERANTO HAPPY'

by

Richard Hammond
Apartado 75, Santa Brigida, 35300 Las Palmas, Gran Canaria, Espana
Citizenship: United Kingdom

EXPRESS MAIL LABEL NO.: EL615430127US
DATE OF DEPOSIT: September 23, 2003

I hereby certify that this paper or fee is being deposited with the United States Postal Service
"Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated
above and is addressed to: Mail Stop Patent Application, Commissioner for Patents, P.O.
Box 1450, Alexandria, VA 22313-1450.

Beverly A. Lee
Beverly A. Lee

This application claims the benefit of U.S. Provisional Application No. 60/413,586, filed September 24, 2002.

LATIN NAME OF THE GENUS AND SPECIES

Botanical classification: *Chrysanthemum morifolium*.

VARIETY DENOMINATION

5 The new Chrysanthemum variety denomination is 'Esperanto Happy.'

BACKGROUND OF THE INVENTION

The present invention comprises a new and distinct cultivar of Chrysanthemum botanically known as *Chrysanthemum morifolium*, and referred to by
10 the cultivar name 'Esperanto Happy'.

'Esperanto Happy' originated from whole plant mutation grown in a controlled planting of the variety 'Esperanto Improved' in Valsequillo, Gran Canaria, Spain. The new variety 'Esperanto Happy' has been asexually reproduced by vegetative cuttings in Chichester, West Sussex, United Kingdom and the
15 distinguishing characteristics are retained through successive generations of asexual reproduction.

BRIEF SUMMARY OF THE INVENTION

'Esperanto Happy' is a pot type of Chrysanthemum plant variety having red/yellow striped single flowers.

20 Comparison with Parent

Plants of the new Chrysanthemum variety 'Esperanto Happy' are similar to the parent cultivar 'Esperanto Improved' in plant habitat and growth rate. In side-by-side comparisons in Chichester, West Sussex, United Kingdom, under commercial practice, plants of the new Chrysanthemum variety 'Esperanto Happy' compared to plants of the
25 parent cultivar 'Esperanto Improved' in the following characteristics.

1. The new variety 'Esperanto Happy' produces red/yellow striped single flowers whereas the parent cultivar 'Esperanto Improved' produces pink/white striped single type flowers.

2. Plants of the new variety 'Esperanto Happy' have similar inflorescence to the plants of the parent cultivar 'Esperanto Improved'.

BRIEF DESCRIPTION OF ILLUSTRATIONS

5 Typical specimens of the plant and flowers for the new Chrysanthemum variety 'Esperanto Happy' are shown in the accompanying digital photograph. The colors shown are as true as possible within the usual limits of this kind of illustration which is a whole plant view of the new variety 'Esperanto Happy' grown in a pot. The plant shown in the illustration is 53 days from commencement of short days.

DETAILED BOTANICAL DESCRIPTION

10 The following description of the new Chrysanthemum variety 'Esperanto Happy' is of plants grown in a greenhouse in Chichester, West Sussex, United Kingdom in the month of February. The cultivar has not been observed under all possible environmental conditions. The phenotype may vary significantly with variations in the environment
15 such as temperature, length of day and light intensity, without any variance in genotype. The commercial classification of the new variety is a pot Chrysanthemum.

Plants of the new variety have been grown successfully under temperature conditions averaging about 18°C at night and about 24°C to 25°C during the day under light conditions of about 5000 to 6000 foot candles. The plants respond well to the use of
20 growth retardant, such as B9 treatment. To produce a commercial product the plants may be pinched once with the center bud removed. The typical container size for commercial growth is 14cm. It has been observed that the shelf life of the new variety is about 24 days with a response time of about 8 weeks. The new variety is suitable for growth in a temperature range of 17°C to 28°C.

25 The following description is with respect to a plant produced as pot Chrysanthemum. In the description of this new Chrysanthemum variety, color values have been taken from the Royal Horticultural Society Colour Chart (R.H.S.C.C.).

Plant

Plant type: Pot

Habit: Upright and free branching

Height: 23 cm

5 Width: 35 cm

Branching characteristics: Upright and free branching

Length of Lateral Branches: 6-11 cm

Number of Breaks from Pinch: 3-5

10 Stem Color: 137A

Response Time: 53 days

Vigor: Medium

Shelf Life: 24 days

Disease/Pest (Susceptibility/Resistance observed): None observed to date

15 Growth retardant type and treatment: 3 applications of 2.5gm/litre B9 at 2, 21, 28 days after the commencement of sticking of unrooted cuttings.

The plants were grown for 3 weeks in Long Day conditions (20 hours of light) and then transferred to Short Day conditions (13 hours of dark).

Propagation:

20 *Type:* Vegetative Propagation Via Stem Cuttings

Time to rooting: 12-14 days with soil temperatures of 18°C.

Rooting habit: Fine and fibrous

Foliage

Number of Leaves Per Lateral Branch: 8-11

25 Compound or single: Single

Arrangement of Leaves: Alternate

Shape of Leaf: typically 5 lobed ovate

Size of Leaf: *Width* (cm): 3.5-7 *Length* (cm): 5-10

Leaf Apex: Acute

30 Base: Obtuse

Attachment: Petioled

Aspect: Slightly Undulating

Margin: Palmately Lobed

Surface characteristics: *Top:* Slightly Pubescent

Bottom: Pubescent

5

Petiole: Color: 137B

Length: 1.5 cm

Venation: net prominent midvein at underside

Color: upper side: Near 137A

10

under side: Near 13 8A

Color: Mature Leaf, *upper side:* Near 137A; *under side:* Near 138A

Young Leaf, *upper side:* Near 137B; *underside:* Near 138B

Flower

Flower appearance: Circular slightly cupped

15 Flower type: Single

Flower form: Cupped

Flower shape: Circular

Flowering habit: Cyme

Number of blossoms per branch: 3-5

20 Inflorescence form: Pyramidal

Depth of fully expanded blossoms: 2 cm

Diameter of fully expanded blossoms: 6-8 cm

Phyllaries:

25 *Number:* 28-30

Color: near 136C

Length: 0.5-0.9 cm

Width: 0.2-0.4 cm

Texture/Appearance: Pubescent

30 Peduncle: Peduncle length is shortest at the terminal flower and progressively longer moving down the stem.

Length: 2.5-10 cm

Color: near 136C
Surface: Pubescent
Habit: Slightly curving
Strength: Medium

- 5 Pedicel: *Length:* terminal: 1.5- 3.5 cm; lateral: 1.5-6 cm

Color: Near 138B
Surface: Pubescent
Habit: Slightly curving
Strength: Medium

- 10 Ray florets:

Form/Shape: Straight
Texture/Appearance: Matte
Number per flower: 25-30
Length: 3-3.5 cm; *Width:* 0.8-1.2 cm

- 15 *Apex:* Rounded
Base: Tapered
Margin: Entire

Disc florets:

- 20 *Form/Shape:* Cylindrical
Texture/Appearance: Shiny
Number per flower: 170-250
Length: 0.3-0.6 cm; *Width:* <0.1-0.1 cm
Diameter of disc: 1.2-1.5 cm

Fragrance: Faint

- 25 Flower Bud (at onset of color):

Length: 1.5 cm
Diameter: 1 cm
Form/Shape: Globular

General flower color:

- 30 1. Ray florets, *upper side:*

Immature: Near 46B and 9A
Mature: Near 46C and 9B
Older/Fading: Near 46D and 9C

2. Ray florets, *under side:*

- 35 *Immature :* Near 4A
Mature: Near 4B
Older/Fading: Near 4C

3. Disc florets:

Immature: Near 144A*Mature*: Near 154A*Older/Fading*: Near 154B

4. Bud: 138B

Flower progression with age: Flower form does not change with age but there is a slight colour fading.

Other Distinguishing Characteristics: Foliage remains good with age.

Reproductive Organs

Gynoecium present on Ray and Disc florets.

Ray florets:

Pistil Number: 25*Stigma color*: Near 6C*Stigma shape*: Forked*Style Color*: Near 6C*Style Length*: 0.2 cm

Disc florets:

Pistil Number: >30<45*Stigma color*: Near 6C*Stigma shape*: Forked*Style Color*: Near 6C*Style Length*: 0.2 cm

Androecium: None observed to date

Fruit and Seeds: None observed to date